

## Apartment Outdoor Station



### Features

- 3-inch STN screen, vivid pictures are on show
- The black-crystal glass panel, touch buttons.
- Adopt TCP/IP network host, support SNMP network protocol.
- Network security technology, provides stable and safe operating environment.
- Support night vision, voice indication
- Embedded installation
- Support card and password to open the door
- IP65


## Specifications

Mode		DH-VTO1210B-X	
System	Main Processor	Embedded micro processor	
	Operation System	Embedded LINUX OS	
Video	Video Compression Standard	H.264	
	Input/Approaching Induction	1.3 megapixel CMOS camera	
	Black Light	Support	
	Auto Light Compensation	Support	
Audio	Audio Input	Microphone	
	Audio Output	Built-in speaker	
	Bidirectional Talk	Support dual-way bidirectional talk	
Display	LCD Dimensions	3-inch STN screen	
	Resolution	128*64	
Operation Mode	Input	Touch keyboard	
	Card	Built-in IC card induction reader	
Approaching Induction	Body Approaching	1 meter	
Alarm	Vandal proof	Support	
Access Control	No Output	Support	
	NC Output	Support	
	Door on/off Button	Support	
	Door Status Detect	Support	
Network	Ethernet	10M/100Mbps Self-adaptive	
	Network Protocol	TCP/IP	
Storage	Memory	128MB	
Others	Power	DC 10~15V	
	Power Consumption	Standby ≤1W, work ≤10W	
	Working Environments	Temperature	-40℃ – +60℃
		Humidity	10% – 95%RH
	Water Proof	IP65	

## DH-VTO1210B-X

	<b>Dimensions</b>	408.0mm*150.0mm*46.4mm (L*W*T) ;
	<b>Weight</b>	1.6Kg;

### Dimensions



#### Dahua Technology Co., Ltd.

1187BinAn Road, Binjiang District, Hangzhou, China

Tel: +86-571-87688883

Fax: +86-571-87688815

Email: [overseas@dahuatech.com](mailto:overseas@dahuatech.com)

[www.dahuatech.com](http://www.dahuatech.com)